

Prepared for:

Endobotanical LLC

2014 W 6th Court
Spokane, WA USA 99201


#2003 15% Raw Drop

Batch ID or Lot Number: 2583	Test: Potency	Reported: 09Nov2022	USDA License: N/A
Matrix: Concentrate	Test ID: T000227056	Started: 07Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 07Nov2022	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.018	0.057	0.310	3.10	
Cannabichromenic Acid (CBCA)	0.017	0.052	0.060	0.60	
Cannabidiol (CBD)	0.050	0.157	15.070	150.70	
Cannabidiolic Acid (CBDA)	0.051	0.161	0.970	9.70	
Cannabidivarin (CBDV)	0.012	0.037	0.110	1.10	
Cannabidivarinic Acid (CBDVA)	0.021	0.067	ND	ND	
Cannabigerol (CBG)	0.010	0.032	0.090	0.90	
Cannabigerolic Acid (CBGA)	0.044	0.134	ND	ND	
Cannabinol (CBN)	0.014	0.042	0.070	0.70	
Cannabinolic Acid (CBNA)	0.030	0.092	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.052	0.160	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.047	0.145	0.240	2.40	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.042	0.129	ND	ND	
Tetrahydrocannabivarin (THCV)	0.009	0.029	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.037	0.113	ND	ND	
Total Cannabinoids			16.920	169.20	
Total Potential THC			0.240	2.40	
Total Potential CBD			15.921	159.21	

Final Approval



Karen Winternheimer
09Nov2022
01:35:00 PM MST

PREPARED BY / DATE



Sam Smith
09Nov2022
01:36:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/4e16253e-54bc-492a-9344-c91a8f55d773>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

4e16253e54bc492a9344c91a8f55d773.1