

CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

BULK SKU	BATCH #	LOQ: Limit Of Quantitation LOD: Limit Of Detection			
PRODUCT NAME		$1 \text{ g} = 10^{-3} \text{ kg} = 10^{3} \text{ mg} = 10^{6}$			
LABORATORY:	OREGON ACCREDITATI	- μg 1 mg/kg = 1 ppm = 1000 ppb			
POTENCY	PER SERVING	PER GRAM	Percent		
Cannabidiol (CBD)	mg/serving	mg/g	%		
Total THC (d9-THC, THCA)	mg/serving	mg/g	%		
Cannabigerol (CBG)	mg/serving	mg/g	%		
Cannabinol (CBN)	mg/serving	mg/g	%		
Cannabichromene (CBC)	mg/serving	mg/g	%		
Tetrahydrocannabinolic Acid (THCA)	mg/serving	mg/g	%		
Delta-9-THC (d9-THC)	mg/serving	mg/g	%		
Delta-8-THC (d8-THC)	mg/serving	mg/g	%		
HEAVY METALS	PER SERVING	PER GRAM	REGULATORY ACTION LEVE		
Arsenic	μg/serving	hð/ð	10 μg/day ^[1]		
Cadmium	μg/serving	µg/g	4.1 μg/day ^[1]		
Lead	μg/serving	µg/g	3.5 µg/day [2]		
Mercury	μg/serving	µg/g	2 µg/day [1]		
PESTICIDES			REGULATORY ACTION LEVE		
None of the other 59 pesticides tested found	above limit of detection in the sample.		10 ppb [1]		
RESIDUAL SOLVENTS	Results		REGULATORY ACTION LEVE		
Ethanol			50,000 mg/day		
Heptane			50,000 mg/day		

None of the 34 residual solvents tested found above limit of quantitation in the sample.



1. American Herbal Pharmacopoeia. (2014). Cannabis Inflorescence: Standards of Identity, Analysis, and Quality Control. Washington DC: AHP.

2. US Food and Drug Administration. (2019). Lead in Food, Foodwares, and Dietary Supplements. Washington DC: FDA.US Food and Drug Administration. (2019). Lead in Food, Foodwares, and Dietary Supplements. Washington DC: FDA.





Report Number:	22-009252/D003.R000
Report Date:	08/10/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	08/04/22 10:49

Customer:	Etz Hayim Holdings
Product identity:	PROC-EG30-CBD
Client/Metrc ID:	
Laboratory ID:	22-009252-0001



Result (%)				
> 98.0			CBD-Total	> 98.0%
0.609			THC-Total	<loq< td=""></loq<>
		• CBDV	(Reported in pe	rcent of total sample)
	> 98.0	> 98.0	> 98.0 0.609	> 98.0 0.609 CBD-Total

Page 1 of 12 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430

_

_ _

--





Report Number:	22-009252/D003.R000
Report Date:	08/10/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	08/04/22 10:49

Customer:	Etz Hayim Holdings 16427 NE Airport Way PORTLAND 97230 United States of America (USA)
Product identity:	PROC-EG30-CBD
Client/Metrc ID: Sample Date:	
Laboratory ID:	22-009252-0001
Evidence of Cooling:	No
Temp:	23 °C
Relinquished by:	UPS

Sample Results

Potency	Method: J AOAC 20	15 V98-6 (moc	l) ^þ Units %	Batch: 2206648	Analyze: 8/6/22	12:22:00 AM
Analyte	As Dry Received weig	LOQ	Notes			
CBC	< LOQ	0.0764				
CBC-A	< LOQ	0.0764				
CBC-Total	< LOQ	0.143				
CBD	> 98.0	0.764				CBD
CBD-A	< LOQ	0.0764				CBDV
CBD-Total	> 98.0	0.831				
CBDV	0.609	0.0764				
CBDV-A	< LOQ	0.0764				
CBDV-Total	0.609	0.143				
CBE	< LOQ	0.0764				
CBG	< LOQ	0.0764				
CBG-A	< LOQ	0.0764				
CBG-Total	< LOQ	0.143				
CBL	< LOQ	0.0764				
CBL-A	< LOQ	0.0764				
CBL-Total	< LOQ	0.143				
CBN	< LOQ	0.0764				
CBT	< LOQ	0.0764				
∆8-THC	< LOQ	0.0764				
∆8-THCV	< LOQ	0.0764				
∆9-THC	< LOQ	0.0764				
exo-THC	< LOQ	0.0764				
THC-A	< LOQ	0.0764				
THC-Total	< LOQ	0.143				
THCV	< LOQ	0.0764				
THCV-A	< LOQ	0.0764				
THCV-Total	< LOQ	0.143				
Total Cannabinoids	> 98.0					

 Www.columbialaboratories.com
 Page 2 of 12

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0410





Report Number:	22-009252/D003.R000
Report Date:	08/10/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	08/04/22 10:49

Solvents	Method:	Residual	Solve	ents by	GC/MS ^þ	Units µg/g	Batch 2	206739	Analyz	e 08/ ⁻	10/22 0	09:08 AM
Analyte	Result	Limits I	LOQ	Status	Notes	Analyte		Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol		< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutar (Isopentane)	ne	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (II	PA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylp (neo-pentane)		< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpenta	ane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile		< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum	ı)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethanol		< LOQ		200		
Ethyl acetate	< LOQ	5000	200	pass		Ethyl benzene	e	< LOQ		200		
Ethyl ether	< LOQ	5000	200	pass		Ethylene glyce	ol	< LOQ	620	200	pass	
Ethylene oxide	< LOQ	50.0	20.0	pass		Hexanes (sun	n)	< LOQ	290	150	pass	
Isopropyl acetate	< LOQ	5000	200	pass		lsopropylbenz (Cumene)	ene	< LOQ	70.0	30.0	pass	
m,p-Xylene	< LOQ		200			Methanol		< LOQ	3000	200	pass	
Methylene chloride	< LOQ	600	60.0	pass		Methylpropan (Isobutane)	e	< LOQ		200		
n-Butane	< LOQ		200			n-Heptane		< LOQ	5000	200	pass	
n-Hexane	< LOQ		30.0			n-Pentane		< LOQ		200		
o-Xylene	< LOQ		200			Pentanes (sur	m)	< LOQ	5000	600	pass	
Propane	< LOQ	5000	200	pass		Tetrahydrofur	an	< LOQ	720	100	pass	
Toluene	< LOQ	890	100	pass		Total Xylenes		< LOQ		400		
Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass								

 Www.columbialaboratories.com
 Page 3 of 12

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0410





 Report Number:
 22-009252/D003.R000

 Report Date:
 08/10/2022

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 08/04/22 10:49

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

μg/g = Microgram per gram % = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 12

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Cannabis Chain of Custody Record

Report Number:	22-009252/D003.R000
Report Date:	08/10/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	08/04/22 10:49

PIXIS Labs

																	ORELAP	ID: OR100028
									A	nalys	is Re	quest	ed					Purchase Order Number:
				spur					3.									Project Number: Project Name:
			OR 59 compounds	Pesticide Multi-Residue – 379 compounds		vents	ity			t and Mold	Micro: E.Coli and Total Coliform	ls						Report Instructions: Send to State - METRC Email Final Results: Fax Final Results Cash/Check/CC/Net 30 Other:
Field ID	Date Coll	/Time ected	Pesticides -	Pesticide M	Potency	Residual Solvents	Water Activity	Moisture	Terpenes	Micro: Yeast and Mold	Micro: E.Co	Heavy Metals	Mycotoxins	Other	Matrix	Weight	Serving size for edibles	Comments/Metrc ID
PROC-EG30-CBD	08.03.22				1	1									ISOLATE			
1																		
Collected By:	Poling	uichod	D		l	Dete				Dest	and here				Dette	-	La	b Use Only:
Standard (5 day)	-																Clie	ent Alias:
																		der Number:
□Rush (3-4 day) (1.5x Standard)																		oper Container nple Condition
Priority Rush (2 day)																		mperature: 23.0°C
(2x Standard)																		pped Via: NPS
																		dence of cooling: 🗆 Yes 🔍 N

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM

Revision: 1.02 Control#: CF023


Effective 01/31/2019 Revised 01/31/2019

www.pixislabs.com

Page 1 of 2

Page 5 of 12
<u>www.columbialaboratories.com</u>
Page 5 of 12
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Test results results are used to the samples are used to the samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.

	Iumbia ORATORIES Tentamus Company	12423 NE Whitaker Way Portland, OR 97230 503-254-1794		Repor OREL	ase Order:	22-009252/D003.R000 08/10/2022 OR100028 08/04/22 10:49
	ATORIES Imus Company		Docu		77 Revision: 3 e: 04/26/2022 Page 1 of 1	
	РАС	KAGE RECEIVING FORM				
How w.	y Date: = as the package delivered? FEDEX USPS g Number: (2 3	Same as Opened By Date □ Unsure DHL OTHER: OI E88 OI 92.4	97(622		
1) Wa	s package sealed with no evidence Further custody seal/tampering n		(YES)	circle one NO		
2) Wa	s packing material used? If YES:	ILE 🗆 WRAP 🗆 FOAM PAPER	YES	NÔ		
3) Wa	s a Complete Chain of Custody (CO Comment (PT?, Email?):	C) received?	YES	NO		
	nple temperature upon arrival?			0.0		
5) Evic	lence of cooling? If YES, What kind?	FREEZER PACK 🗆 DRY ICE COOLER 🗆 STYROFOAM 🗆 OTHER:	YES	NO		
6) We	re sample containers sealed in sepa	arate plastic bags/secondary containment?	YES	NO		
7) Did	sample containers arrive in good c If NO: □ LEAKED □ BROKEN If NO: Suspect contamination	N 🗆 OTHER:	YES	NO		
8) Sam	pple labels present?		YES	NO		
9) Do s	sample labels agree with COC? If NO, number of sample containe	rs received:	YES	NO		



Received By (initials)

Other:____

 Www.columbialaboratories.com
 Page 6 of 12

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0410





Report Number:	22-009252/D003.R000
Report Date:	08/10/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	08/04/22 10:49

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results									
AOAC2015 V986 Batch ID: 2206648									
Laboratory Control									
Analyte	LCS	Result	Spike	Units	%Rec	Limit	S	Evaluation	Notes
CBDVA	1	0.102	0.100	%	102	80.0 -	120	Acceptable	
CBDV	1	0.111	0.100	%	111	80.0 -	120	Acceptable	
CEE	1	0.0989	0.100	%	98.9	80.0 -	120	Acceptable	
CBDA	1	0.0981	0.100	%	98.1	90.0 -	110	Acceptable	
CBGA	1	0.0977	0.100	%	97.7	80.0 -	120	Acceptable	
CBG	1	0.103	0.100	%	103	80.0 -	120	Acceptable	
CBD	1	0.102	0.100	%	102	90.0 -	110	Acceptable	
THCV	1	0.0978	0.100	%	97.8	80.0 -	120	Acceptable	
d8THCV	1	0.0996	0.100	%	99.6	80.0 -	120	Acceptable	
THCVA	1	0.0970	0.100	%	97.0	80.0 -	120	Acceptable	
CBN	1	0.103	0.100	%	103	90.0 -	110	Acceptable	
exo-THC	1	0.0964	0.100	%	96.4	80.0 -	120	Acceptable	
d9THC	1	0.106	0.100	%	106	90.0 -	110	Acceptable	
d8THC	1	0.0947	0.100	%	94.7	90.0 -	110	Acceptable	
CBL	1	0.0907	0.100	%	90.7	80.0 -	120	Acceptable	
CBC	1	0.0974	0.100	%	97.4	80.0 -	120	Acceptable	
THCA	1	0.0951	0.100	%	95.1	90.0 -	110	Acceptable	
CBCA	1	0.101	0.100	%	101	80.0 -	120	Acceptable	
CBLA	1	0.104	0.100	%	104	80.0 -	120	Acceptable	
CBL	1	0.0903	0.100	%	90.3	80.0 -	120	Acceptable	

Method Blank						
Analyte	Result	LOQ	Uhits	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBDV	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CEE	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBDA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBGA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBG	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBD	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
THCV	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
d8THCV	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
THCVA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBN	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
exo-THC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
d9THC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
d8THC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBL	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
THCA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBCA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBLA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBL	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	

Abbreviations

s ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent

Page 7 of 12 www.columbialaboratories.com Page 7 of 12 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	22-009252/D003.R000
Report Date:	08/10/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	08/04/22 10:49

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

JAOAC2015 V986					Ba	tch ID: 2206648		
Sample Duplicate					Sam	ple ID: 22-008854	000101	
Analyte	Result	Org. Reult	LOQ	Units	RFD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CEE	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBG	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBD	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBN	>98	>98	0.077	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Page 8 of 12 www.columbialaboratories.com Page 8 of 12 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	22-009252/D003.R000
Report Date:	08/10/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	08/04/22 10:49

Revision: Document ID: Legacy ID: Effective:

Legacy ID: Effective: Laboratory Quality Control Results										
Residual Solvents						Bat	ch ID:	2206739		
Method Blank					Laborator	Control Sa	mnlo			
Analyte	Result		LOQ	Notes	Result	Spike	Units	% Rec Li	mits	Notes
Propane	ND	<	200		515	572	µg/g	90.0 60	- 120	litetes
sobutane	ND	<	200		701	731	μg/g	95.9 60	- 120	
Butane	ND	<	200		692	731	μg/g	94.7 60	- 120	
2,2-Dimethylpropane	ND	<	200		912	936	µg/g	97.4 60	- 120	
Methanol	ND	<	200		1460	1650	μg/g	88.5 60	- 120	
thylene Oxide	ND	<	30		51	56.2	μg/g	90.7 60	- 120	
-Methylbutane	ND	<	200		1330	1620	μg/g	82.1 60	- 120	
Pentane	ND	<	200		1370	1610	μg/g	85.1 60	- 120	
thanol	ND	<	200		1450	1620	µg/g	89.5 70	- 130	
Ethyl Ether	ND	<	200		1440	1600	µg/g	90.0 60	- 120	
2,2-Dimethylbutane	ND	<	30		149	167	μg/g	89.2 60	- 120	
lcetone	ND	<	200		1460	1620	µg/g	90.1 60	- 120	
2-Propanol	ND	<	200		1520	1610	μg/g	94.4 60	- 120	
thyl Formate	ND	<	500		1350	1620	μg/g	83.3 70	- 130	
Acetonitrile	ND	<	100		580	635	μg/g	91.3 60	- 120	
Nethyl Acetate	ND	<	500		1480	1630	µg/g	90.8 70	- 130	
,3-Dimethylbutane	ND	<	30		150	177	µg/g	84.7 60	- 120	
Dichloromethane	ND	<	60		438	498	µg/g	88.0 60	- 120	
2-Methylpentane	ND	<	30		147	166	µg/g	88.6 60	- 120	
MTBE	ND	<	500		1460	1600	µg/g	91.3 70	- 130	
-Methylpentane	ND	<	30		158	175	μg/g	90.3 60	- 120	
lexane	ND	<	30		156	174	μg/g	89.7 60	- 120	
-Propanol	ND	<	500		1370	1620	µg/g	84.6 70	- 130	
Nethylethylketone	ND	<	500		1400	1600	µg/g	87.5 70	- 130	
thyl acetate	ND ND	<	200 200		1450 1440	1610	µg/g	90.1 60	- 120 - 120	
-Butanol Tetrahydrofuran	ND	<	100		445	1620 507	µg/g	88.9 60 87.8 60	- 120	
Evclohexane	ND	<	200		445 1430	1610	µg/g	87.8 60	- 120	
	ND	<	500		1430	1610	µg/g	81.1 70	- 130	
2-methyl-1-propanol Benzene	ND	<	1		4.39	5.22	µg/g	81.1 70	- 120	
sopropyl Acetate	ND	<	200		4.59	5.22	µg/g	90.7 60	- 120	
leptane	ND	<	200		1460	1610	μg/g μg/g	88.8 60	- 120	
l-Butanol	ND	Ż	500		1330	1610	μg/g	82.6 70	- 130	
Propyl Acetate	ND	<	500		1340	1610	μg/g	83.2 70	- 130	
.4-Dioxane	ND	<	100		455	508	μg/g	89.6 60	- 120	
-Ethoxyethanol	ND	<	30		147	165	μg/g	89.1 60	- 120	1
Vethylisobutylketone	ND	<	500		1260	1610	μg/g	78.3 70	- 130	1
8-Methyl-1-butanol	ND	<	500		1160	1610	μg/g	72.5 70	- 130	1
thylene Glycol	ND	<	200		169	492	μg/g	34.3 60	- 120	Q6
oluene	ND	<	100		418	497	μg/g	84.1 60	- 120	
sobutyl Acetate	ND	<	500		1100	1610	μg/g	68.3 70	- 130	Q6
-Pentanol	ND	<	500		881	1600	μg/g	55.1 70	- 130	Q6
Butyl Acetate	ND	<	500		1230	1610	μg/g	76.4 70	- 130	1
thylbenzene	ND	<	200		778	980	μg/g	79.4 60	- 120	1
n,p-Xylene	ND	<	200		772	985	µg/g	78.4 60	- 120	
-Xylene	ND	<	200		751	965	µg/g	77.8 60	- 120	
lumene	ND	<	30		131	168	µg/g	78.0 60	- 120	
Inisole	ND	<	500		1120	1600	µg/g	70.0 70	- 130	
DMSO	ND	<	500		1140	1610	µg/g	70.8 70	- 130	
.,2-dimethoxyethane	ND	<	50		136	165	µg/g	82.4 70	- 130	
riethylamine	ND	<	500		1250	1620	µg/g	77.2 70	- 130	
I,N-dimethylformamide	ND	<	150		382	481	µg/g	79.4 70	- 130	
I,N-dimethylacetamide	ND	<	150		338	480	µg/g	70.4 70	- 130	
yridine	ND	<	50		111	171	μg/g	64.9 70	- 130	Q6
.,2-Dichloroethane	ND	<	1		0.786	1	μg/g	78.6 70	- 130	
hloroform	ND	<	1		0.797	1	µg/g	79.7 70	- 130	
richloroethylene	ND	<	1		0.804	1	μg/g	80.4 70	- 130	

 Www.columbialaboratories.com
 Page 9 of 12

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0410





Revision: Document ID:

Report Number:	22-009252/D003.R000
Report Date:	08/10/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	08/04/22 10:49

QC - Sample Duplicate	Dec. It	Over Dear li	100 11-1	000		: 22-008977-0001	N-+
Analyte		Org. Result	LOQ Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
sobutane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
thylene Oxide	ND	ND	30 µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200 µg/g	0.0	< 20	Acceptable	
thanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
thyl Formate	ND	ND	500 μg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100 µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500 µg/g	0.0	< 20	Acceptable	
,3-Dimethylbutane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60 μg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30 µg/g	0.0	< 20	Acceptable	
ИТВЕ	ND	ND	500 µg/g	0.0	< 20	Acceptable	
8-Methylpentane	ND	ND	30 μg/g	0.0	< 20	Acceptable	1
Hexane	ND	ND	30 μg/g	0.0	< 20	Acceptable	
L-Propanol	ND	ND	500 μg/g	0.0	< 20	Acceptable	
Vethylethylketone	ND	ND	500 μg/g	0.0	< 20	Acceptable	1
thyl acetate	ND	ND	200 µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200 µg/g 200 µg/g	0.0	< 20	Acceptable	1
Fetrahydrofuran	ND	ND		0.0	< 20	Acceptable	
	ND	ND	1010	0.0	< 20		
Cyclohexane						Acceptable	
2-methyl-1-propanol	ND	ND ND	500 μg/g	0.0	< 20	Acceptable	
Benzene	ND		1 μg/g		< 20	Acceptable	
sopropyl Acetate	ND	ND	200 μg/g	0.0		Acceptable	
Heptane	ND	ND	200 μg/g	0.0	< 20	Acceptable	-
1-Butanol	ND	ND	500 μg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500 μg/g	0.0	< 20	Acceptable	
L,4-Dioxane	ND	ND	100 µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500 µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500 μg/g	0.0	< 20	Acceptable	
thylene Glycol	ND	ND	200 µg/g	0.0	< 20	Acceptable	
foluene	ND	ND	100 µg/g	0.0	< 20	Acceptable	
sobutyl Acetate	ND	ND	500 μg/g	0.0	< 20	Acceptable	
L-Pentanol	ND	ND	500 μg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500 μg/g	0.0	< 20	Acceptable	
thylbenzene	ND	ND	200 µg/g	0.0	< 20	Acceptable	
n,p-Xylene	ND	ND	200 µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200 µg/g	0.0	< 20	Acceptable	
lumene	ND	ND	30 µg/g	0.0	< 20	Acceptable	
Inisole	ND	ND	500 µg/g	0.0	< 20	Acceptable	İ
OMSO	ND	ND	500 µg/g	0.0	< 20	Acceptable	
,2-dimethoxyethane	ND	ND	50 µg/g	0.0	< 20	Acceptable	İ
riethylamine	ND	ND	500 µg/g	0.0	< 20	Acceptable	1
I,N-dimethylformamide	ND	ND	150 µg/g	0.0	< 20	Acceptable	
I,N-dimethylacetamide	ND	ND	150 µg/g	0.0	< 20	Acceptable	
vridine	ND	ND	50 μg/g	0.0	< 20	Acceptable	
.2-Dichloroethane	ND	ND	1 μg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1 μg/g	0.0	< 20	Acceptable	
					< 20		L
richloroethylene	ND	ND	1 μg/g	0.0	< 20	Acceptable	L

Abbreviations

Units of Measure:

ND - None Detected at or above MRL $\mu g/g\mathchar`-$ Microgram per gram or ppm

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Q6 - Quality control outside QC limits. Data acceptable based on remaining QC.

Page 10 of 12
www.columbialaboratories.com
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Test results results are used to the samples are used to the samples are used to the samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.





Report Number:	22-009252/D003.R000
Report Date:	08/10/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	08/04/22 10:49



 Www.columbialaboratories.com
 Page 11 of 12

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0410





Report Number: 22-009252/D003.R000 **Report Date:** 08/10/2022 **ORELAP#:** OR100028 **Purchase Order:** 08/04/22 10:49 **Received:**

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 12 of 12

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0410





Report Number:	22-010282/D002.R000
Report Date:	08/31/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	08/29/22 09:42

Customer:	Etz Hayim Holdings
Product identity:	PROC-EG30-CBD
Client/Metrc ID:	
Laboratory ID:	22-010282-0001

Summary

Pesticides:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.

 www.columbialaboratories.com
 Page 1 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0400





Report Number:	22-010282/D002.R000
Report Date:	08/31/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	08/29/22 09:42

Customer:	Etz Hayim Holdings 16427 NE Airport Way PORTLAND 97230 United States of America (USA)
Product identity:	PROC-EG30-CBD
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	22-010282-0001
Evidence of Cooling:	No
Temp:	21.2 °C
Relinquished by:	USPS

Sample Results

Pesticides	Method: AO	AC 200	7.01 & EN 15662 (mo	od)⊧	Units mg/kg Batch	2207341	Analy	ze 08/31/22 08:34 AM
Analyte	Result	Limit	s LOQ Status Notes	;	Analyte	Result	Limits	s LOQ Status Notes
Abamectin¥	< LOQ	0.50	0.250 pass		Acephate¥	< LOQ	0.40	0.250 pass
Acequinocyl [¥]	< LOQ	2.0	1.00 pass		Acetamiprid¥	< LOQ	0.20	0.100 pass
Aldicarb [¥]	< LOQ	0.40	0.200 pass		Azoxystrobin¥	< LOQ	0.20	0.100 pass
Bifenazate¥	< LOQ	0.20	0.100 pass		Bifenthrin¥	< LOQ	0.20	0.100 pass
Boscalid [¥]	< LOQ	0.40	0.200 pass		Carbaryl [¥]	< LOQ	0.20	0.100 pass
Carbofuran¥	< LOQ	0.20	0.100 pass		Chlorantraniliprole [¥]	< LOQ	0.20	0.100 pass
Chlorfenapyr [¥]	< LOQ	1.0	0.500 pass		Chlorpyrifos¥	< LOQ	0.20	0.100 pass
Clofentezine¥	< LOQ	0.20	0.100 pass		Cyfluthrin [¥]	< LOQ	1.0	0.500 pass
Cypermethrin [*]	< LOQ	1.0	0.500 pass		Daminozide¥	< LOQ	1.0	0.500 pass
Diazinon¥	< LOQ	0.20	0.100 pass		Dichlorvos [¥]	< LOQ	1.0	0.500 pass
Dimethoate [*]	< LOQ	0.20	0.100 pass		Ethoprophos¥	< LOQ	0.20	0.100 pass
Etofenprox [¥]	< LOQ	0.40	0.200 pass		Etoxazole¥	< LOQ	0.20	0.100 pass
Fenoxycarb [¥]	< LOQ	0.20	0.100 pass		Fenpyroximate [¥]	< LOQ	0.40	0.200 pass
Fipronil [¥]	< LOQ	0.40	0.200 pass		Flonicamid [¥]	< LOQ	1.0	0.400 pass
Fludioxonil [¥]	< LOQ	0.40	0.200 pass		Hexythiazox¥	< LOQ	1.0	0.400 pass
Imazalil [¥]	< LOQ	0.20	0.100 pass		Imidacloprid¥	< LOQ	0.40	0.200 pass
Kresoxim-methyl¥	< LOQ	0.40	0.200 pass		Malathion¥	< LOQ	0.20	0.100 pass
Metalaxyl [¥]	< LOQ	0.20	0.100 pass		Methiocarb [*]	< LOQ	0.20	0.100 pass
Methomyl [¥]	< LOQ	0.40	0.200 pass		MGK-264 [¥]	< LOQ	0.20	0.100 pass
Myclobutanil¥	< LOQ	0.20	0.100 pass		Naled [¥]	< LOQ	0.50	0.250 pass
Oxamyl [¥]	< LOQ	1.0	0.500 pass		Paclobutrazole¥	< LOQ	0.40	0.200 pass
Parathion-Methyl [*]	< LOQ	0.20	0.200 pass		Permethrin [¥]	< LOQ	0.20	0.100 pass
Phosmet [¥]	< LOQ	0.20	0.100 pass		Piperonyl butoxide¥	< LOQ	2.0	1.00 pass
Prallethrin¥	< LOQ	0.20	0.200 pass		Propiconazole¥	< LOQ	0.40	0.200 pass
Propoxur [¥]	< LOQ	0.20	0.100 pass		Pyrethrin I (total)¥	< LOQ	1.0	0.500 pass
Pyridaben¥	< LOQ	0.20	0.100 pass		Spinosad [¥]	< LOQ	0.20	0.100 pass
Spiromesifen¥	< LOQ	0.20	0.100 pass		Spirotetramat¥	< LOQ	0.20	0.100 pass
Spiroxamine¥	< LOQ	0.40	0.200 pass		Tebuconazole [¥]	< LOQ	0.40	0.200 pass
Thiacloprid¥	< LOQ	0.20	0.100 pass		Thiamethoxam [*]	< LOQ	0.20	0.100 pass
Trifloxystrobin [¥]	< LOQ	0.20	0.100 pass					

- -

Page 2 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0400





Report Number: 22-010282/D002.R000 **Report Date:** 08/31/2022 ORELAP#: OR100028 **Purchase Order: Received:** 08/29/22 09:42

Metals							
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status Notes
Arsenic	< LOQ	0.200	mg/kg	0.0875	2207329	08/29/22 AOAC 2013.06 (mod.) ^b	pass
Cadmium	< LOQ	0.200	mg/kg	0.0875	2207329	08/29/22 AOAC 2013.06 (mod.) ^b	pass
Lead	< LOQ	0.500	mg/kg	0.0875	2207329	08/29/22 AOAC 2013.06 (mod.) ^b	pass
Mercury	< LOQ	0.100	mg/kg	0.0437	2207329	08/29/22 AOAC 2013.06 (mod.) ^b	pass

 www.columbialaboratories.com
 Page 3 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0400





Report Number: 22-010282/D002.R000 **Report Date:** 08/31/2022 **ORELAP#:** OR100028 Purchase Order: Received: 08/29/22 09:42

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

* = TNI accredited analyte.

Units of Measure

mg/kg = Milligram per kilogram = parts per million (ppm) % wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 8

equirements of NELAP and the Columbia Laboratories quality assurance plan Test results relate only to the parameters tested and to the samples as received by unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made





Report Number: 22-010282/D002.R000 **Report Date:** 08/31/2022 **ORELAP#:** OR100028 **Purchase Order: Received:** 08/29/22 09:42

PIXIS Labs

12423 NE Whitaker Way Por	rtland OR	97230	p.503-3	254-17	94	Ca	nnal	ois C	hain	of C	usto	dy R	ecor	d				A Tentamus Company
																	ORELAP	ID: OR100028
									A	nalys	is Re	quest	ted					Purchase Order Number:
				S														Project Number:
				compounds										Ι.				Project Name:
			OR 59 compounds	- 379		vents	ty			and Mold	i and Total Coliform	S						Report Instructions: Send to State - METRC Email Final Results: Fax Final Results Cash/Check/CC/Net 30 Other:
Field ID	Date/ Colle	Time cted	Pesticides - I	Pesticide Multi-Residue	Potency	Residual Solvents	Water Activity	Moisture	Terpenes	Micro: Yeast and Mold	Micro: E.Coli and Total	Heavy Metals	Mycotoxins	Other	Matrix	Weight	Serving size for edibles	Comments/Metrc ID
PROC-EG30-CBD	8/24		1									1			isolate			
							~			10								
										(
											2							
										1								
Collected By:	Delies	اممطعا	Dece			Data		Time		Deeel	un al las				Dete			o Use Only: ent Alias:
🗆 Standard (5 day)																		der Number:
Rush (3-4 day)																		per Container
(1.5x Standard)																	Sar	nple Condition
Priority Rush (2 day)																		nperature:

SUBMISSION OF SAMPLES WITH TESTING REQUIREMENTS TO PIXIS WILL BE UNDERSTOOD TO BE AN AGREEMENT FOR SERVICES IN ACCORDANCE WITH THE CONDITIONS LISTED ON THE BACK OF THIS FORM www.pixislabs.com

Revision: 1.02 Control#: CF023 Effective 01/31/2019 Revised 01/31/2019

(2x Standard)

Page 1 of 2

Evidence of cooling: 🗆 Yes 🛛 No

Shipped Via:

Page 5 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	22-010282/D002.R000
Report Date:	08/31/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	08/29/22 09:42

9	LABORATORIE	S					t ID: 3177 Revision: 3 Effective: 04/26/2022 Page 1 of 1
			PACKA	AGE RECEIVIN	IG FORM		
	Delivery Date:	× 8/29	Øs	ame as Opene	ed By Date 🛛 Un	sure	
	How was the pa	ackage deliver	ed?				
	UPS	FEDEX	USPS	DHL	OTHER:		_

Delivery Date:	× 8/29	🎾 Sar	ne as Opened B	y Date 🗆	Unsure
How was the pa	ackage delivere	ed?			
UPS	FEDEX	USPS	DHL	OTHER:	
Tracking Numbe	er: 9400 11	2 0255 790	16 6858 37		

	~	CIRCLE ONE
1) Was package sealed with no evidence of holes/tampering?	YES	NO
Further custody seal/tampering notes:		
2) Was packing material used?	YES	NO
If YES:	0	
3) Was a Complete Chain of Custody (COC) received?	YES	NO
Comment (PT?, Email?):		
4) Sample temperature upon arrival?	21.	2_°C
5) Evidence of cooling?	YES	NO
If YES, What kind?		
Insulation?	0	
6) Were sample containers sealed in separate plastic bags/secondary containment?	YES	NO
7) Did sample containers arrive in good condition?	YES	NO
If NO: 🗆 LEAKED 🗆 BROKEN 🗆 OTHER:		
If NO: Suspect contamination of other samples? VES NO		
8) Sample labels present?	YES	NO
9) Do sample labels agree with COC?	YES	NO
If NO, number of sample containers received:		

Sample pre-log location:

R39 R44 F44 R99 CANNA SHELF

FOOD SHELF Other:____

Other Notes:

Received By (initials): JF Date: 8/29 Time: 9:44

Page 6 of 8
<u>www.columbialaboratories.com</u>
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testere exception





Report Number: 22-010282/D002.R000 **Report Date:** 08/31/2022 **ORELAP#:** OR100028 Purchase Order: **Received:** 08/29/22 09:42



Page 7 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0400





Report Number: 22-010282/D002.R000 **Report Date:** 08/31/2022 **ORELAP#:** OR100028 **Purchase Order: Received:** 08/29/22 09:42

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 8 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0400