



Report Number:	22-001543/D004.R000
Report Date:	02/16/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	02/09/22 16:53

Customer:	IHC LLC
Product identity:	0107LIRTNC200_llama
Client/Metrc ID:	
Laboratory ID:	22-001543-0003

Summary

Analyte per 28.5g	Result	Limits	Units	Status	CBD-Total per 28.5g	1170 mg/28.5g
CBD per 28.5g	827		mg/28.5g			
CBD-A per 28.5g	393		mg/28.5g			
CBN per 28.5g	261		mg/28.5g		THC-Total per 28.5g	<loq< td=""></loq<>
					(Reported in milligra	

Page 1 of 7
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Customer:	IHC LLC 825 NW 16th Ave Portland Oregon 97209 United States of America (USA)
Product identity:	0107LIRTNC200_llama
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	22-001543-0003
Evidence of Cooling:	No
Temp:	25.9 °C
Relinquished by:	Client
Serving Size #1:	28.5 g

Report Number: 22-001543/D004.R000 **Report Date:** 02/16/2022 **ORELAP#:** OR100028 **Purchase Order: Received:** 02/09/22 16:53



THE HEMP COLLECT

Sample Results

Potency per 28.5g	Method J AOA	C 2015 V98-6 (mod)Units mg/se Bate	ch: 2201293	Analyze: 2/14/22 2:36:00 PM
Analyte	Result	Limits Units	LOQ	Notes
CBC per 28.5g ⁺	< LOQ	mg/28.5g	24.4	
CBC-A per 28.5g [†]	< LOQ	mg/28.5g	24.4	
CBC-Total per 28.5g [†]	< LOQ	mg/28.5g	45.9	
CBD per 28.5g	827	mg/28.5g	24.4	
CBD-A per 28.5g	393	mg/28.5g	24.4	
CBD-Total per 28.5g	1170	mg/28.5g	45.9	
CBDV per 28.5g ⁺	< LOQ	mg/28.5g	24.4	
CBDV-A per 28.5g ⁺	< LOQ	mg/28.5g	24.4	
CBDV-Total per 28.5g [†]	< LOQ	mg/28.5g	45.6	
CBE per 28.5g ⁺	< LOQ	mg/28.5g	24.4	
CBG per 28.5g ⁺	< LOQ	mg/28.5g	24.4	
CBG-A per 28.5g ⁺	< LOQ	mg/28.5g	24.4	
CBG-Total per 28.5g [†]	< LOQ	mg/28.5g	45.6	
CBL per 28.5g [†]	< LOQ	mg/28.5g	24.4	
CBL-A per 28.5g ⁺	< LOQ	mg/28.5g	24.4	
CBL-Total per 28.5g ⁺	< LOQ	mg/28.5g	45.9	
CBN per 28.5g	261	mg/28.5g	24.4	
CBT per 28.5g [†]	< LOQ	mg/28.5g	24.4	
∆8-THCV per 28.5g [†]	< LOQ	mg/28.5g	24.4	
$\Delta 8$ -THC per 28.5g ⁺	< LOQ	mg/28.5g	24.4	
∆9-THC per 28.5g	< LOQ	mg/28.5g	24.4	
exo-THC per 28.5g ⁺	< LOQ	mg/28.5g	24.4	
THC-A per 28.5g	< LOQ	mg/28.5g	24.4	
THC-Total per 28.5g	< LOQ	mg/28.5g	45.9	
THCV per 28.5g [†]	< LOQ	mg/28.5g	24.4	
THCV-A per 28.5g ⁺	< LOQ	mg/28.5g	24.4	
THCV-Total per 28.5g ⁺	< LOQ	mg/28.5g	45.9	
Total Cannabinoids per 28.5g	1480	mg/28.5g		

Page 2 of 7 <u>www.columbialaboratories.com</u> Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan prior arrangements have been made. Test results meet and the columbia conserved on the samples are received by the laboratory.

Testing in accordance with: OAR 333-007-0430





Report Number: 22-001543/D004.R000 **Report Date:** 02/16/2022 **ORELAP#:** OR100028 Purchase Order: **Received:** 02/09/22 16:53

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

[†] = Analyte not NELAP accredited.

Units of Measure

g = Gram mg/28.5g = Milligram per 28.5g % = Percentage of sample % wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 7

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made





02/09/22 16:53

Received:

6	Columbia
	LABORATORIES
	🕵 A Tentamus Company

Hemp / Cannabis Usable / Extract / Finished Products **Chain of Custody Record**

Revision: 4.00 Control#: CF023 Rev 02/24/2021 Eff: 03/04/2021 ORELAP ID: OR100028

						A	analys	is Req	ueste	d				P	O Number:	
Company: IHC Contact: Kyle Farook Street: 431 NW Flanders S City: PortlandState: Email Results: dropbox Ph: (61)_608164Fx Result Billing (if different): beth@thehe	<u>OF</u> Zip:		s – OR 59 compounds	² esticide Multi-Residue – 379 compounds		ŝolvents	Moisture & Water Activity		viicro: Yeast and Mold	Alcro: E. Coli and Total Coliform	etals	su		Projec Proj Custom F Report to	tt Number: lect Name: Reporting: o State N nd time: M 	METRC or Other:
Lab ID Client Sample Identification	Date	Time	Pesticides -	Pesticide	Potency	Residual Solvents	Moisture	Terpenes	Micro: Ye	Micro: E.	Heavy Metals	Mycotoxins	Other:	Sample Type †	Weight (Units)	Comments/Metrc ID
1 01020506LIATNC200-TG	2/9				x									1		-Sanuples #1-4.
2 0102030506LERTNC200_TG	2/9				x									Т		Frank in ma qual la
3 OlO7LIRTNC200_llama	2/9				х									Т		report an ing_aviaight
4 010307LIRTNC200_Hama	2/9				х									Т		per 28.5g (30ml)
5 01 FLT112_BK	2/9				X									٧		-Samples #1-4, report in mg_analyte per 28.5g (30ml) Unit size.
6																_
7																
8						397										
9																
10																
Relinquished By:	Date	Time			R	eceived	By:			Da	ate	Ti	me		- anto ing i	Lab Use Only:
Kyle Farook 2/9 4:30		4:30			-	DS	S			2/1/22 16:53		53	□ Shipped Via:or ☐ Client drop Evidence of cooling: □ Yes [A No - Temp (°C): 25.9 ° C			
				141									Sample ir □ Cash	n good condit	ion:⟨₫/Yes □ No] CC □ Net:	

t - Sample Type Codes: Vegetation (V) ; Isolates (S) ; Extract/Concentrate (C) ; Tincture/Topical (T) ; Edible (E) ; Beverage (B)

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms P: (503) 254-1794 | Fax: (503) 254-1452 12423 NE Whitaker Way

Portland, OR 97230

Info@columbialaboratories.com

Page of www.columbialaboratories.com

www.columbialaboratories.com

Page 4 of 7

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number: 22-001543/D004.R000 **Report Date:** 02/16/2022 **ORELAP#:** OR100028 **Purchase Order:**

Received:

02/09/22 16:53

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98-6		Lubol	atory		ontrol Results ch ID: 2201271 /	2201202	
Laboratory Control S	amala			Ddl	un 10. 22012/17	2201295	
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	0.179	0.2	%	89.5	85.0 - 115	Acceptable	Notes
CBDVA	0.199	0.2	%	99.5	85.0 - 115	Acceptable	
CBE	0.190	0.2	%			Acceptable	
CBDA	0.201	0.2	%	95.1			
				101	85.0 - 115	Acceptable	
CBGA	0.182	0.2	%	91.2	85.0 - 115	Acceptable	
CBG	0.190	0.2	%	95.1	85.0 - 115	Acceptable	
CBD	0.202	0.2	%	101	85.0 - 115	Acceptable	
THCV	0.181	0.2	%	90.4	85.0 - 115	Acceptable	
d8THCV	0.192	0.2	%	95.8	85.0 - 115	Acceptable	
THCVA	0.174	0.2	%	87.1	85.0 - 115	Acceptable	
CBN	0.211	0.2	%	106	85.0 - 115	Acceptable	
exo-THC	0.176	0.2	%	87.9	85.0 - 115	Acceptable	
d9THC	0.191	0.2	%	95.6	85.0 - 115	Acceptable	
d8THC	0.181	0.2	%	90.5	85.0 - 115	Acceptable	
CBL	0.176	0.2	%	87.9	85.0 - 115	Acceptable	
CBC	0.186	0.2	%	92.8	85.0 - 115	Acceptable	
THCA	0.191	0.2	%	95.6	85.0 - 115	Acceptable	
CBCA	0.188	0.2	%	93.8	85.0 - 115	Acceptable	
CBLA	0.199	0.2	%	99.3	85.0 - 115	Acceptable	
CBT	0.177	0.2	%	88.7	85.0 - 115	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBDV	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBE	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBDA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBGA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBG	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBD	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCV	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d8THCV	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCVA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBN	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
exo-THC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d9THC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d8THC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBL	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBCA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBLA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBT	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	22-001543/D004.R000
Report Date:	02/16/2022
ORELAP#:	OR100028
Purchase Order:	

Received:

02/09/22 16:53

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			Labo	ratory C	Quality Co	ntrol Results			
J AOAC 2015	V98-6				Bate	ch ID: 2201271	. / 2201293		
Sample Dupl	icate				Samp	ole ID: 22-0015	30-0002		
Analyte	Result	Org. Result	LOQ	LOQ Units RPD Limits Evaluation Notes					
CBDVA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable		
CBDV	0.219	0.223	0.1	%	2.05	< 20	Acceptable		
CBE	0.324	0.314	0.1	%	3.09	< 20	Acceptable		
CBDA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable		
CBGA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable		
CBG	0.126	0.121	0.1	%	3.76	< 20	Acceptable		
CBD	33.7	34.5	0.1	%	2.45	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable		
d8THCV	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable		
CBN	0.171	0.176	0.1	%	2.97	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable		
d9THC	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable		
d8THC	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable		
CBC	0.277	0.283	0.1	%	2.12	< 20	Acceptable		
THCA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable		
CBCA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable		
CBT	0.303	0.363	0.1	%	17.8	< 20	Acceptable		

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Page 6 of 7
www.columbialaboratories.com
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Test results results meet all requirements of this laboratory. Test results meet all requirements of the receipt date unless
prior arrangements have been made.





Report Number: 22-001543/D004.R000 **Report Date:** 02/16/2022 **ORELAP#:** OR100028 **Purchase Order:** 02/09/22 16:53 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 7 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430