



Certificate of Analysis

Sample:KN30501004-009
Harvest/Lot ID: 365
Batch#: 921A
Sample Size Received: 30 ml
Retail Product Size: 30 ml
Ordered : 04/26/23
Sampled : 04/26/23
Completed: 05/04/23

May 04, 2023 | Hometown Hero
9501-B Menchaca Rd #100
Austin, TX, 78748, US




PASSED

Page 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	Filth PASSED	Water Activity NOT TESTED	Moisture NOT TESTED	Terpenes NOT TESTED

Potency	PASSED
----------------	---------------



Analyzed by: 2657 Weight: 0.2007g Extraction date: 05/01/23 15:27:52 Extracted by: 2657

Analysis Method : SOP.T.30.031.TN & SOP.T.40.031.TN Expanded Measurement of Uncertainty: Flower Matrix d9-THC: ± 0.100, THCA: ± 0.124, TOTAL THC ± 0.112. These uncertainties represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor k=2 for a normal distribution.

Analytical Batch : KN003719POT Reviewed On : 05/03/23 09:42:38
Instrument Used : E-SHI-008 Batch Date : 05/01/23 08:14:15
Running on : N/A

Dilution : N/A
Reagent : 122922.11; 100422.02; 040423.R02; 042423.R01; 102722.27; 020323.06
Consumables : 301011028; 22/04/01; 220725; 239146; 947B9291.271; GD220003; 6121219; 600054; 220303059-D; IP250.100
Pipette : E-VWR-120

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV/PDA detection (HPLC-UV/PDA). All cannabinoids have an LOQ of 0.01%.

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

Lab Director

State License # n/a
ISO Accreditation # 17025:2017

Signature

05/04/23

Signed On



Certificate of Analysis

PASSED

Hometown Hero

Sample : KN30501004-009
Harvest/Lot ID: 365

9501-B Menchaca Rd #100
Austin, TX, 78748, US
Telephone: (512) 576-7210
Email: tcfmarketing024@gmail.com

Batch# : 921A
Sampled : 04/26/23
Ordered : 04/26/23

Sample Size Received : 30 ml
Completed : 05/04/23 Expires: 05/04/24

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
ABAMECTIN B1A	0.012	ppm	0.3	PASS	ND	PRALLETHRIN	0.008	ppm	0.4	PASS	ND
ACEPHATE	0.008	ppm	3	PASS	ND	PROPICONAZOLE	0.007	ppm	1	PASS	ND
ACEQUINOCYL	0.038	ppm	2	PASS	ND	PROPOXUR	0.008	ppm	0.1	PASS	ND
ACETAMIPRID	0.009	ppm	3	PASS	ND	PYRETHRINS	0.002	ppm	1	PASS	ND
ALDICARB	0.009	ppm	0.1	PASS	ND	PYRIDABEN	0.007	ppm	3	PASS	ND
AZOXYSTROBIN	0.013	ppm	3	PASS	ND	SPINETORAM	0.004	ppm	3	PASS	ND
BIFENAZATE	0.028	ppm	3	PASS	ND	SPIROMESIFEN	0.009	ppm	3	PASS	ND
BIFENTHRIN	0.047	ppm	0.5	PASS	ND	SPIROTETRAMAT	0.009	ppm	3	PASS	ND
BOSCALID	0.007	ppm	3	PASS	ND	SPIROXAMINE	0.006	ppm	0.1	PASS	ND
CARBARYL	0.015	ppm	0.5	PASS	ND	TEBUCONAZOLE	0.009	ppm	1	PASS	ND
CARBOFURAN	0.008	ppm	0.1	PASS	ND	THIACLOPRID	0.008	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.012	ppm	1	PASS	ND	THIAMETHOXAM	0.009	ppm	1	PASS	ND
CHLORMEQUAT CHLORIDE	0.008	ppm	3	PASS	ND	TOTAL SPINOSAD	0.009	ppm	3	PASS	ND
CHLORPYRIFOS	0.014	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.009	ppm	3	PASS	ND
CLOFENTEZINE	0.006	ppm	0.5	PASS	ND						
COUMAPHOS	0.009	ppm	0.1	PASS	ND						
DAMINOZIDE	0.006	ppm	0.1	PASS	ND						
DIAZANON	0.006	ppm	0.2	PASS	ND						
DICHLORVOS	0.014	ppm	0.1	PASS	ND						
DIMETHOATE	0.009	ppm	0.1	PASS	ND						
DIMETHOMORPH	0.009	ppm	3	PASS	ND						
ETHOPROPHOS	0.007	ppm	0.1	PASS	ND						
ETOFENPROX	0.009	ppm	0.1	PASS	ND						
ETOXAZOLE	0.007	ppm	1.5	PASS	ND						
FENHEXAMID	0.005	ppm	3	PASS	ND						
FENOXYCARB	0.007	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.006	ppm	2	PASS	ND						
FIPRONIL	0.008	ppm	0.1	PASS	ND						
FLONICAMID	0.014	ppm	2	PASS	ND						
FLUDIOXONIL	0.011	ppm	3	PASS	ND						
HEXYTHIAZOX	0.009	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.005	ppm	3	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.009	ppm	2	PASS	ND						
METALAXYL	0.008	ppm	3	PASS	ND						
METHIOCARB	0.008	ppm	0.1	PASS	ND						
METHOMYL	0.009	ppm	0.1	PASS	ND						
MEVINPHOS	0.001	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.006	ppm	3	PASS	ND						
NALED	0.023	ppm	0.5	PASS	ND						
OXAMYL	0.009	ppm	0.5	PASS	ND						
PACLOBUTAZOL	0.007	ppm	0.1	PASS	ND						
PERMETHRINS	0.008	ppm	1	PASS	ND						
PHOSMET	0.009	ppm	0.2	PASS	ND						
PIPERONYL BUTOXIDE	0.006	ppm	3	PASS	ND						

Analyzed by: 2803 Weight: 1.0015g Extraction date: 05/03/23 11:32:07 Extracted by: 2803
 Analysis Method :SOP.T.40.101.TN
 Analytical Batch :KN003732PES Reviewed On :05/03/23 14:46:08
 Instrument Used :E-SHI-125 Batch Date :05/03/23 11:26:54
 Running on :N/A
 Dilution : 0.01
 Reagent : 010523.R11; 030723.R19; 040623.R01; 040623.R02; 122322.R26; 101722.03; 032221.01
 Consumables : 301011028; K130252; 22/04/01; 220725; 2126780; 264041; 201123-058; 211214634-D; 239146; 94789291.271; GD210005; 1300.062
 Pipette : E-VWR-116; E-VWR-117; E-VWR-118; E-VWR-119
 Testing for agricultural agents is performed utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry.
 *Based on FL action limits.

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

Lab Director

State License # n/a
ISO Accreditation # 17025:2017

Signature

05/04/23

Signed On



Certificate of Analysis

PASSED

Hometown Hero

 9501-B Menchaca Rd #100
 Austin, TX, 78748, US
 Telephone: (512) 576-7210
 Email: tcfmarketing024@gmail.com

Sample : KN30501004-009

 Harvest/Lot ID: 365
 Batch# : 921A
 Sampled : 04/26/23
 Ordered : 04/26/23

 Sample Size Received : 30 ml
 Completed : 05/04/23 Expires: 05/04/24

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
PROPANE	54	ppm	5000	PASS	ND
BUTANES (N-BUTANE)	51	ppm	5000	PASS	ND
METHANOL	20	ppm	250	PASS	ND
ETHYLENE OXIDE	0.2	ppm	5	PASS	ND
PENTANES (N-PENTANE)	32	ppm	750	PASS	ND
ETHANOL	100	ppm	5000	PASS	ND
ETHYL ETHER	10	ppm	500	PASS	ND
1,1-DICHLOROETHENE	0.6	ppm	8	PASS	ND
ACETONE	15	ppm	750	PASS	ND
2-PROPANOL	20	ppm	500	PASS	ND
ACETONITRILE	1.3	ppm	60	PASS	ND
DICHLOROMETHANE	2	ppm	125	PASS	ND
N-HEXANE	6	ppm	250	PASS	ND
ETHYL ACETATE	8.3	ppm	400	PASS	ND
CHLOROFORM	0.04	ppm	2	PASS	ND
BENZENE	0.03	ppm	1	PASS	ND
1,2-DICHLOROETHANE	0.05	ppm	2	PASS	ND
HEPTANE	53	ppm	5000	PASS	ND
TRICHLOROETHYLENE	0.5	ppm	25	PASS	ND
TOLUENE	5	ppm	150	PASS	ND
TOTAL XYLENES - M, P & O - DIMETHYLBENZENE	15	ppm	150	PASS	ND

Analyzed by: 138, 3050	Weight: 0.02594g	Extraction date: 05/03/23 11:02:03	Extracted by: 138
---------------------------	---------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.TN Analytical Batch : KN003727SOL Instrument Used : E-SHI-106 Running on : N/A Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A	Reviewed On : 05/04/23 17:34:50 Batch Date : 05/02/23 08:54:04
---	---

Residual solvents analysis is performed using Gas Chromatography / Mass Spectrometry. *Based on FL action limits.

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

Lab Director

 State License # n/a
 ISO Accreditation # 17025:2017

Signature

05/04/23

Signed On



Certificate of Analysis

PASSED

Hometown Hero

 9501-B Menchaca Rd #100
 Austin, TX, 78748, US
 Telephone: (512) 576-7210
 Email: tcfmarketing024@gmail.com

 Sample : KN30501004-009
 Harvest/Lot ID: 365
 Batch# : 921A
 Sampled : 04/26/23
 Ordered : 04/26/23

 Sample Size Received : 30 ml
 Completed : 05/04/23 Expires: 05/04/24

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU	ND	PASS	100000

Analyzed by: 2805 **Weight:** 1.0461g **Extraction date:** 05/01/23 13:30:13 **Extracted by:** 2805
Analysis Method : SOP.T.40.056C, SOP.T.40.041 LOD is 1 cfu
Analytical Batch : KN003721MIC **Reviewed On :** 05/04/23 16:32:41
Instrument Used : E-HEW-069 **Batch Date :** 05/01/23 12:21:42
Running on : N/A

Dilution : N/A
Reagent : 020323.03; 101822.09; 101822.07; 010923.04; 092222.01; 072722.06
Consumables : 22/04/01; 251773; 242429; 2DAX30621; P7528255; 41218-146C4-146C; 263989; 93825; 010205; 007109; 013209; n/a; 247040; 0150210
Pipette : E-THE-045; E-THE-046; E-THE-047; E-THE-048; E-THE-049; E-THE-050; E-THE-051; E-THE-052; E-THE-053; E-THE-054; E-BIO-188

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. With an LOD of 1cfu, if a pathogenic E Coli, Salmonella, A fumigatus, A flavus, A niger, or A terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

Analyzed by: 2805 **Weight:** 1.0461g **Extraction date:** 05/02/23 16:48:10 **Extracted by:** 2805
Analysis Method : SOP.T.40.041
Analytical Batch : KN003724TYM **Reviewed On :** 05/04/23 17:10:08
Instrument Used : E-HEW-069 **Batch Date :** 05/01/23 13:32:39
Running on : N/A
Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques. *Based on FL action limits.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN G2	0.0016	ppm	ND	PASS	0.02
AFLATOXIN G1	0.0012	ppm	ND	PASS	0.02
AFLATOXIN B2	0.0012	ppm	ND	PASS	0.02
AFLATOXIN B1	0.0012	ppm	ND	PASS	0.02
OCHRATOXIN A+	0.002	ppm	ND	PASS	0.02
TOTAL MYCOTOXINS	0.002	ppm	ND	PASS	0.02

Analyzed by: 2803 **Weight:** 1.0015g **Extraction date:** 05/03/23 11:32:07 **Extracted by:** 2803
Analysis Method : SOP.T.40.101.TN
Analytical Batch : KN003733MYC **Reviewed On :** 05/03/23 14:55:29
Instrument Used : E-SHI-125 **Batch Date :** 05/03/23 11:35:41
Running on : N/A

Dilution : 0.01
Reagent : 010523.R11; 030723.R19; 040623.R01; 040623.R02; 122322.R26; 101722.03; 032221.01
Consumables : 301011028; K130252; 22/04/01; 220725; 21267B0; 264041; 201123-058; 211214634-D; 239146; 947B9291.271; GD210005; 1300.062
Pipette : E-VWR-116; E-VWR-117; E-VWR-118; E-VWR-119

Aflatoxins B1, B2, G1, G2, and Ochratoxins Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry. *Based on FL action limits.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC-AS	0.02	ppm	ND	PASS	1.5
CADMIUM-CD	0.02	ppm	ND	PASS	0.5
MERCURY-HG	0.02	ppm	ND	PASS	3
LEAD-PB	0.02	ppm	ND	PASS	0.5

Analyzed by: 2837, 138 **Weight:** 0.2836g **Extraction date:** 05/02/23 09:23:41 **Extracted by:** 2837
Analysis Method : SOP.T.30.082, SOP.T.40.082.TN
Analytical Batch : KN003720HEA **Reviewed On :** 05/04/23 10:00:24
Instrument Used : E-AGI-084 **Batch Date :** 05/01/23 09:13:02
Running on : N/A

Dilution : N/A
Reagent : 122922.11; 100422.02; 041923.R13; 031423.R13; 101722.05; 022023.01; 042723.R05; 031623.R01; 031423.R01; 022823.R12; 040523.R01; 040523.R02; 040523.R03; 031623.R02; 041923.R03
Consumables : 257747; 829C6-829B; 221200; A260422A
Pipette : E-VWR-120

Heavy Metals analysis is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to single digit ppb concentrations. LOQ is 0.04 ppm for all metals. *Based on FL action limits.



Certificate of Analysis

PASSED

Hometown Hero

9501-B Menchaca Rd #100
Austin, TX, 78748, US
Telephone: (512) 576-7210
Email: tcfmarketing024@gmail.com

Sample : KN30501004-009
Harvest/Lot ID: 365
Batch# : 921A
Sampled : 04/26/23
Ordered : 04/26/23

Sample Size Received : 30 ml
Completed : 05/04/23 Expires: 05/04/24

Page 5 of 5

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	1	detect/g	ND	PASS	3

Analyzed by: 2805	Weight: 0.5731g	Extraction date: 05/01/23 13:25:34	Extracted by: 2805
----------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : KN003703FIL
Instrument Used : E-AMS-138
Running on : N/A

Reviewed On : 05/03/23 11:19:12
Batch Date : 04/24/23 10:22:13

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. A SW-2T13 Stereo Microscope is use for inspection.

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

Lab Director

State License # n/a
ISO Accreditation # 17025:2017

Signature

05/04/23

Signed On