

12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

Runtz THCA Live Resin

Sample ID: G3L0149-11

Matrix: Hemp Extracts & Concentrates

Test ID: 5022990 Source ID:

Date Sampled: 12/11/23

Date Accepted: 12/11/23

thisthat CBD

thisthatCBD@gmail.com

Results at a Glance

Total CBD: 12.94 %





Eric Wendt Chief Science Officer - 12/13/2023



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

Runtz THCA Live Resin

Sample ID: G3L0149-11

Matrix: Hemp Extracts & Concentrates

Test ID: 5022990 Source ID:

Date Sampled: 12/11/23

Date Accepted: 12/11/23

thisthat CBD

thisthatCBD@gmail.com

Potency Analysis

Analysis Method/SOP: 215 Batch Identification: 2350017 Date/Time Extracted: 12/12/23 10:44 **Cannabinoids Profile** Cannabinoids % by Wt. LOQ (%) mg/g Total CBD 0.0431 12.94 129.4 12.9 THCA 0.0005 67.04 670.4 delta 9-THC < LOQ 0.0005 < LOQ delta 8-THC 0.0934 < LOQ < LOQ THCV 0.1052 < LOQ < LOQ **THCVA** 0.0392 < LOQ < LOQ CBD 0.0005 12.94 129.4 0.0005 < LOQ **CBDA** < LOQ **CBDV** 0.1040 < LOQ < LOQ THCA 67.0 **CBDVA** 0.0341 < LOQ < LOQ CBD 12.9 80.0 Total: **CBN** 0.0622 < LOQ < LOQ CBG 0.0164 < LOQ < LOQ < LOQ < LOQ CBGA 0.0164 CBC 0.0186 < LOQ < LOQ 79.98 799.8 **Total Cannabinoids** 67.0

Total THC = delta 9-THC + (THCA * 0.877)

Total CBD = CBD + (CBDA * 0.877)

Total CBG = CBG + (CBGA * 0.878)

 $\label{lowest} \mbox{LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.}$

THCA, delta 9-THC, delta 8-THC, CBDA and CBD are accredited by TNI 2016 and ISO 17025





Eric Wendt

Chief Science Officer - 12/13/2023



12025 NE Marx St. Portland, OR 9/220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Quality Control Potency

Batch: 2350017 - 215-Concentrates

Blank(2350017-BLK1)								
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes	
THCA	< LOQ	0.0005	%		12/12/23 10:44	12/12/23 17:30		
delta 9-THC	< LOQ	0.0005	%		12/12/23 10:44	12/12/23 17:30		
delta 8-THC	< LOQ	0.0934	%		12/12/23 10:44	12/12/23 17:30		
THCV	< LOQ	0.1052	%		12/12/23 10:44	12/12/23 17:30		
THCVA	< LOQ	0.0392	%		12/12/23 10:44	12/12/23 17:30		
CBD	< LOQ	0.0005	%		12/12/23 10:44	12/12/23 17:30		
CBDA	< LOQ	0.0005	%		12/12/23 10:44	12/12/23 17:30		
CBDV	< LOQ	0.1040	%		12/12/23 10:44	12/12/23 17:30		
CBDVA	< LOQ	0.0341	%		12/12/23 10:44	12/12/23 17:30		
CBN	< LOQ	0.0622	%		12/12/23 10:44	12/12/23 17:30		
CBG	< LOQ	0.0164	%		12/12/23 10:44	12/12/23 17:30		
CBGA	< LOQ	0.0164	%		12/12/23 10:44	12/12/23 17:30		
CBC	< LOQ	0.0186	%		12/12/23 10:44	12/12/23 17:30		

Reference(2350017-SRM1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	94.0	0.0002	%	90-110	12/12/23 10:44	12/12/23 17:53	
delta 9-THC	105	0.0002	%	90-110	12/12/23 10:44	12/12/23 17:53	
delta 8-THC	96.4	0.0452	%	90-110	12/12/23 10:44	12/12/23 17:53	
CBD	99.4	0.0002	%	90-110	12/12/23 10:44	12/12/23 17:53	
CBDA	94.5	0.0002	%	90-110	12/12/23 10:44	12/12/23 17:53	







503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Notes and Definitions

Regulatory Compliance samples were collected onsite at facility according to SOP-402 and SOP-403 and following Sampling Plan FN117. Quality Control samples were tested as received. Results do not include uncertainty of measurements. Available upon request.

ATM	Non-cannabis matrix related interference or suppression of Internal standard
BLI	Baseline Interference - Cannabinoid peak interference in chromatographic baseline affecting QC recovery.
BLK	Analyte detected in method blank, but not associated samples.

Blank Spike High - Blank Spike recovery above method limit. no detections in samples. BSL Blank Spike Low - Blank Spike recovery below lower method limit, analyte chromatography reviewed

manually for all samples.

CBD Interference due to co-elution

CBD matrix interference on GC Pest chromatography CV2 CCV was above acceptance criteria, Non-detect samples are considered acceptable.

CCV was below acceptance criteria, sample still exceeds regulatory limit.

ISH One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.

Internal Standard concentration is above acceptance criteria. MSH Internal Standard concentration is below acceptance criteria.

Matrix Spike High - Matrix Spike recovery above method limits.

MSI Matrix Spike Interference - Matrix spike source sample contains analyte hit above calibration affecting

recovery accuracy in Matrix Spike.

Matrix Spike Low - Matrix Spike recovery below lower method limit, analyte chromatography reviewed manually for all samples.

Internal Standard concentration outside control limit due to matrix interference



